

# imperwise quality wooden floors from finland

FLOOR FOR LIFE



#### **WOOD SPECIE**

Available in following wood species.

### **GRADES**

OAK: Select, Classic and Vintage

ASH: Select. Classic and Olive

LARCH: Select and Natural

Please see separate grading guide.

#### **DIMENSIONS**

- Thickness: 14 mm
- Width x lenght: 150 x 900 mm / 185 x 925 mm
- Top layer 3 mm
- Weight: 9,9 kg/m<sup>2</sup>

#### **STRUCTURE**

- 1-strip
- 0,7 mm micro bevels on all four sides or two long sides
- 3-layer cross glued engineered wooden flooring
  - -Middle layer Finnish birch plywood 9 mm
  - -Bottom layer Finnish spruce 2 mm
  - -Top layer 3 mm

3,0 mm 9,0 mm 2,0 mm



Standard product: Birch plywood structure

#### SURFACE TREATMENT

- UV hardened matt lacquer/wax oiled
- Sanded/Brushed
- Available tones: All Timberwise tones available

#### **INSTALLATION**

- Traditional glued T&G, two handed product A & B
- Installation with glueing down to subfloor
- Suitable with underfloor heating

#### **QUALITY**

- FINNISH quality work produced from beginning to end in Finland
- ALLERGY LABEL only wooden flooring certified by Finnish Allergy, Skin and Asthma Federation
- PEFC wooden raw material comes from certified and sustainably managed forests
- CE products fulfill the EU's safety regulation directives
- JAS2 glue seams fulfills the toughest bonding standards
- JAS F\*\*\*\* formaldehyde emission test's highest and toughest standard



























## **MEASURES HERRINGBONE**



















