

Timberwise

FLOOR FOR LIFE



WE MANUFACTURE  
PARQUETS  
THAT LAST  
FROM ONE GENERATION TO  
THE NEXT.







# THE FOUNDATION OF GOOD LIFE

The floor is one of the largest surfaces in your home. It is present in every room and felt under your feet. The lifespan of a good floor is measured in years — and the best ones in decades. At Timberwise, we manufacture plank parquets that last from one generation to the next.

Our plank parquets contain no raw materials harmful to the health of people or animals. Timberwise was the first parquet manufacturer to abandon adhesives containing formaldehyde in its products — and therefore it is also the only one whose products carry the Allergy Label.





# FINNISH TIMBERWISE

Timberwise is a family-owned company founded in 1999 in Loimaa, Finland. We manufacture plank parquets for people who value natural materials, safety, and high-quality Finnish craftsmanship. Our products are created through a combination of the world's finest raw materials, Finnish woodworking expertise, and highly automated production methods.

Timberwise wood floors are always manufactured from start to finish in Finland — we do not use semi-finished blanks. Each parquet passes through more than twenty production stages and pairs of hands before it leaves the factory for destinations around the world.





# ECOLOGICALLY AND SUSTAINABLY

Our products are made of European, PEFC-certified oak, ash and Douglas fir, as well as Finnish birch and pine. We minimise and repurpose by-products and waste generated during production.

The adhesive joints of a high-quality parquet must withstand fluctuations in humidity and temperature. The adhesive joints of Timberwise parquets are tested according to the industry's most demanding JAS2 standard. In this test, parquet samples are boiled in water for several hours. Timberwise joints hold firm, and no surface separation occurs. This is why our parquet is particularly well suited, for example, to Finland, where humidity and temperature vary significantly with the seasons.



**JAS2 JAS F\*\*\*\***







# OUR VALUES

To us, Timberwise is much more than just a company. It is our life's work, founded on our common values: Finnish wood processing expertise, sustainable development and safe products. Our values are seen and felt in thousands of homes every day.

## MADE IN FINLAND

Our tightly-knit and natural relationship with wood as a construction material has made Finland a world leader and an international pioneer in wood processing. We are proud of the Finnish wood processing tradition, and we want to cultivate this shared legacy into the future. That's why our products are made in Finland.

## SUSTAINABLE DEVELOPMENT

Our wooden floors are made of ecologically and ethically grown wood. We save natural resources by reusing and recycling our production by-products and waste. We favour carbon dioxide emission-free and renewable energy, and we produce part of our electricity with our own solar panels.

## PRODUCT SAFETY

We want to be certain that our products are safe for the whole family. We do not use raw materials that are harmful to people or animals. We are the world's first parquet manufacturer to entirely give up the use of formaldehyde-containing adhesives in all products. That's why our products are particularly suitable for families with children and people with allergies.




# 10 GOOD REASONS TO CHOOSE TIMBERWISE

Timberwise is the world's best wooden floor. It is manufactured from the highest quality raw materials in Loimaa, Finland. The result is a unique combination of Finnish expertise, style and safety. Quality that can be felt at every step – from one generation to the next.


## THE BEST WOOD

Our wooden floors are produced from high-quality European oak, ash and douglas fir as well as Finnish birch and pine.




## MADE IN FINLAND

We are a Finnish family-owned company whose products are manufactured in Loimaa in Southwest Finland.




## ECOLOGICAL AND ETHICAL

Our raw material is sourced from Europe in compliance with ethical values and always from PEFC and FSC-certified forests.




## LASTS AND LASTS

Our glued joints are designed to endure even the most extreme conditions.



## EASY TO INSTALL

Timberwise wooden floors are some of the easiest and fastest to install on the market.



## AMAZING APPEARANCE

Timberwise selection is not only the most diverse, but also the most impressive.

## CLEAN AND SAFE INDOOR AIR

Our entire product selection is manufactured without harmful ingredients and formaldehyde-containing adhesives – as the first in the world.

## STABLE STRUCTURE

Our unique birch plywood 3-layer structure guarantees a floor, which is significantly sturdier, more even and durable.

## A WOODEN FLOOR IS MEASURED BY ITS SURFACE

The diverse colour and surface treatments give your Timberwise wooden floor character and durability.

## SUITABLE FOR UNDERFLOOR HEATING

Our wooden floors can safely be installed on an underfloor heating system.





# WOOD SPECIES AND GRADES




## OAK

Quercus robur

- Hard and wear-resistant wood species
- PEFC-certified European white oak
- Brinell hardness 2.9–4.1 HB


### SPECIES DESCRIPTION AND APPEARANCE

There are approximately 200–300 different species of oak in the world. An oak grows to 30 metres in up to 300 years. Oak is a hard, heavy and strong, as well as fairly straight-grained wood. It is warm brown in colour. The sapwood and heartwood are clearly distinguishable. The heartwood colour darkens with age. The reflective patterns caused by the medullary rays are typical of oak's appearance.



### OAK SELECT

The Select grade is carefully selected, evenly coloured and almost knotless. The grade allows the filling of pin knots, the natural reflective pattern of oak, i.e., the pattern created by the medullary rays of the tree, and colour variation caused by the grain pattern.



### OAK CLASSIC

Classic is a natural-looking grade in which the natural grain pattern and colour variation of the wood are clearly visible. The natural knottiness of the wood, with a limited size and number of knots, is allowed within the grade. The grade also allows small knot groups, the so-called cat paws, as well as the filling of knots and the natural reflective pattern of oak, i.e., the pattern created by the medullary rays of the tree.

### OAK AS A FLOORING MATERIAL

As a flooring material, oak is hard and durable and a safe choice for almost all kinds of interiors. Considering its weight, oak does not move much and is therefore a popular interior decoration material. Timberwise uses PEFC-certified European white oak.



### OAK VINTAGE

Vintage grade contains filled cracks and healthy black knots of various sizes. The number of knots, filled knots, and filled cracks varies. Black fillings are part of a genuine vintage look. Small depressions in the filled knots and cracks are also allowed. The grade is characterised by the natural colour variation of oak from light to dark. The general appearance of the Vintage grade is impressive, rough, and rustic.





# ASH

Fraxinus excelsior

- Hard and wear-resistant wood species
- Brinell hardness 3.2–4.7 HB



# DOUGLAS FIR

Pseudotsuga menziesii


- Strong colour variation and knottiness
- PEFC-certified douglas fir
- Brinell hardness 2.2–3.0 HB
- In picture Nordic tone

## SPECIES DESCRIPTION AND APPEARANCE

Ash is a hardwood deciduous tree which grows in humid areas of Europe, Caucasasia and Asia Minor. The heartwood and sapwood are clearly distinguishable. The sapwood is thick and almost white. The heartwood is sharply distinguished as grey, brownish or olive-coloured. The wood is unevenly patterned with different tones, veined or striped, and this gives it a very decorative appearance. The wood is resilient, heavy and hard.

## ASH AS A FLOORING MATERIAL

As a flooring material, ash is hard and durable. Different surface treatment options give ash character and make it a very trendy flooring material. In addition to residential rooms, ash is also excellently suited for use in public spaces where a bold and unique look is desired.



## ASH SELECT

The Select grade is carefully selected, subdued and almost knotless with an evenly coloured general tone. For this harmonic grade, the natural colour variation caused by the grain pattern, as well as healthy light pit knots are allowed.

## ASH CLASSIC

The Classic grade is a natural-looking grade in which the wood's natural grain pattern, colour variation and small individual dark knots are clearly visible. The general colouring of Classic is slightly darker than Select. In the Classic grade fillings are allowed.

## ASH OLIVE



The Olive grade has been named after the dark heartwood, which is also called olive. The variation in appearance between different boards may be significant, and part of the boards may be without the dark heartwood. Knots, knot groups and filling of knots are also allowed for this grade.

## SPECIES DESCRIPTION AND APPEARANCE

Douglas fir is a highly valued softwood species. Its heartwood is reddish-brown, while the sapwood is light in colour. Distinctive characteristics of the wood include its strongly developed heartwood and latewood. One of the key properties of this species is its superior wear resistance compared to other softwoods. It is also more sensitive than hardwoods to fluctuations in moisture and dryness. The wood is very decay-resistant and tough.

## DOUGLAS FIR AS A FLOORING MATERIAL

As a flooring material, Douglas fir is harder than other softwood species. Its dense grain and beautiful reddish-brown colour make it an excellent choice for various spaces that require a distinctive and durable floor. A Douglas fir floor combines stunning appearance with good wear resistance.



## DOUGLAS FIR NATURAL

The Natural grade is characterised by knottiness and wide colour variation. The natural colour range of Douglas fir spans from light yellowish tones to reddish hues. The grade allows filled knots, round knot marks and bark pockets. NOTE! Surface treatment may affect the appearance of filled areas. The image shows Douglas fir in the NORDIC shade.

## NOTE!

Douglas fir is naturally characterised by knottiness and large colour variations. Its natural colour range spans from light yellowish tones to reddish hues.

## DOUGLAS FIR VINTAGE

The Vintage grade allows the wood's natural grain pattern, large colour variations and, in addition to natural knots, black-filled knots and cracks, as well as round knot marks and bark pockets. NOTE! Surface treatment may affect the appearance and tone of filled areas. The colour variation ranges from light yellowish to reddish tones, which are softened by the rustic appearance. The image shows Douglas fir in the COTTON shade.





# BIRCH

Betula pendular

- Hardwood species, softer in physical hardness
- PEFC-certified Finnish wood
- Brinell hardness approx. 1.9 HB



# PINE

Pinus sylvestris


- Strong colour variation and knottiness
- PEFC-certified Finnish pine
- Brinell hardness 1.9 HB

## SPECIES DESCRIPTION AND APPEARANCE

The Natural grade of birch is characterised by knottiness. The grade may also contain knot-free boards, which should be mixed during installation with boards that have more knots to achieve a natural appearance. The grade allows sound black knots, filled knot areas, and pin knots. NOTE! Surface treatment may affect the appearance and tone of filled areas.


## BIRCH AS A FLOORING MATERIAL

In terms of physical hardness, birch is softer than many other parquet wood species, which also helps soften the acoustics of a room. The wood ranges in colour from pale yellow to almost white, sometimes with slightly reddish tones. As a floor, it is excellently suited to summer cottages and spaces with light wear. for use in public spaces where a bold and unique look is desired.



## BIRCH NATURAL

Birch is produced in only one knot grade. The Natural grade allows the wood's natural colour variation and knottiness, and there is no limit to the number of knots. The grade permits sound black knots, filled knot areas, and pin knots. boards may be without the dark heartwood. Knots, knot groups and filling of knots are also allowed for this grade.



## BIRCH NATURAL


The image shows Birch Natural with a white matte lacquer finish. Colour treatment affects the appearance and tone of filled areas.

## SPECIES DESCRIPTION AND APPEARANCE

Pine is characterised by a high proportion of heartwood, which gives the wood its reddish appearance over time. The sapwood remains lighter in colour.


## PINE AS A FLOORING MATERIAL

Pine has a long tradition as a flooring material, and its authentic patina is unmatched by any imitation. It is well suited to calm spaces and private homes. Knottiness is typical of pine. As a floor, it is an excellent choice for summer cottages and areas with light wear.



## PINE NATURAL

The Natural grade of pine is characterised by knottiness. The grade allows sound black knots, filled knot areas, round knot marks, and pin knots. NOTE! Surface treatment may affect the appearance and tone of filled areas.



## PINE NATURAL

Shown in the image is Pine Natural in the Cognac shade. Colour treatment affects the appearance and tone of filled areas. Shown in the image is Pine Natural in the Cognac shade. Colour treatment affects the appearance and tone of filled areas.





# TREATMENT OPTIONS AND SURFACE TREATMENTS

## TREATMENTS

### BRUSHED

The Timberwise wooden floors are brushed with special nylon brushes, that bring the grain pattern to the surface, making it wear-resistant and pleasant for the feet. The brushed surface is an excellent choice for families with pets and children, since scratch marks and wear do not show as easily on brushed surfaces as they do on sanded surfaces.

### SANDED

Sanding is a traditional treatment that accentuates the wood's natural appearance and hardness. The benefits of the sanded surface are its evenness and smoothness, but when treated with wax oil or natural oil, it also wears and scratches more easily. That's why we recommend the sanded surface for less-used rooms.

## SURFACE TREAT- MENTS

### LACQUERED

The silky lacquer treatment gives the floor more wear resistance than wax oil, so it is a particularly good choice for heavily used spaces, such as hallways, foyers, and kitchens. Our selection includes colour tones that are available both as matte lacquered and wax oiled. This allows combining floors with different wear resistance properties into a uniform, even-coloured whole.

### WAX OILED

Flooring treated with a vegetable-based oil is ready-to-install directly from the package. The UV-hardened surface is also ecological, breathable, and dirt and moisture resistant. In addition, it is easy to clean, maintain and repair. Since the surface is satin or matte-finished, it is not slippery. This makes the wax oiled surface particularly child and pet friendly.





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# POLAR

POLAR is a gorgeous opaque white tone that gives all interiors a fresh look. As a flooring, it is extremely stylish and easy to combine with both dark and light interiors. The brushed surface accentuates the grain pattern and is pleasant for the feet. The matte lacquering gives the floor a durable and beautiful satin surface.

Wood species: Oak, Ash  
Grades: Select, Classic, Rustic,  
Vintage, Olive  
Treatment: Brushed  
Surface treatment: Matte lacquered



Oak Classic



Ash Classic





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Oak Classic ANTARCTIS – brushed, matte lacquered



Ash Select ANTARCTIS – brushed, matte lacquered

## ANTARCTIS

ANTARCTIS is suited for many interior decoration styles. The light tone accentuates natural light, making the interior harmonic and balanced. The brushed and matte lacquered surface subtly brings out the wood's natural tone and grain pattern, giving the floor a beautiful and durable satin surface.

Wood Species: Oak, Ash  
Grades: Select, Classic, Rustic, Vintage, Olive  
Treatment: Brushed  
Surface treatment: Matte lacquered



Oak Classic



Ash Classic





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.


Ash Classic SNOW WHITE – sanded, wax oiled



## SNOW WHITE

SNOW WHITE is a beautiful, transparent white wax oiled flooring. This harmonic tone enhances the impression of brightness and is suited for many interior styles. Due to the UV-hardened transparent wax oil, the wood's grain pattern shows beautifully on the white surface of the floor, making it durable and easy to maintain. Available for ash and larch, only as wax oiled.

Wood Species: Ash  
Grades: Select, Classic, Olive  
Treatments: Sanded  
Surface treatment: Wax oiled







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Pine COTTON - brushed, wax oiled



## COTTON

True to its name, COTTON is a white and cotton-like flooring, in which brushing plays a major role. The tone is suggestive of the old, beautifully antiqued wooden floors – a suitable foundation for both modern and traditional interior decoration styles.

Wood species: Pine, douglas fir  
Grade: Natural  
Treatment: Brushed  
Surface treatment: Wax oiled



Pine Natural



Douglas fir Vintage





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# DOUBLE WHITE

A treatment lighter than the Cotton shade and slightly more opaque in tone, with brushing playing a major role. The shade evokes traditional white softwood floors and suits many interior styles. Available only for Douglas fir and in an oil-waxed finish.

Wood species: Douglas fir  
Grades: Natural, Vintage  
Treatment: Brushed  
Surface treatments: Wax oiled







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Ash Select – sanded, white wax oiled



Oak Classic – brushed, white wax oiled

# WHITE WAX OILED

Subdued, serene, beautiful and classic are few of the words to describe our white wax oiled wooden floor. The transparent wax oil allows the wood's natural tone to show through while lightening it slightly. A white wax oiled flooring is a traditional surface treatment that suits several styles, and it's very popular particularly in the Nordic countries. The UV-hardened wax oil treatment makes it durable and easy to maintain.

Wood species: Ash  
Grades: Select, Classic, Olive  
Treatment: Sanded  
Surface treatment: Wax oiled



Oak Classic



Ash Classic





Birch Natural – sanded, white matte lacquered

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



Ash Olive – sanded, white matte lacquered

# WHITE MATTE LACQUERED

White matte lacquering is one of the most traditional flooring treatments, and has been manufactured for decades. The surface treatment whitens the wood's surface tone, while allowing the wood's natural tone and grain pattern to show through.


Wood Species: Ash, Oak, Birch  
Grades: Select, Classic/Natural, Vintage/Olive  
Treatment: Brushed, Sanded for ash and pine  
Surface treatment: Matte lacquered



Ash Classic



Oak Classic



Birch Natural





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# WHITE CREAM

As the name suggests, WHITE CREAM is a warm and creamy tone with a white hue. It is a particularly good choice for classic interiors where a fresh, modern and bright appearance is desired.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Wax oiled







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



## CREAM

True to its name, CREAM has a creamy white tone. As a floor, it is classic, subdued, and stylish. Cream is an excellent choice for rooms where warm and soft tones are desired. The brushing of the surface brings out the wood's grain pattern beautifully with subtle accentuation.

Wood species: Oak  
Grades: Select, Classic, Rustic, Vintage  
Treatment: Brushed  
Surface treatments: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



## ARCTIC

ARCTIC is a fairly light and slightly beige-coloured flooring, where the wood grains stand out lighter than the undertone. Arctic is an impressive flooring with character. It feels pleasant on the feet and is suited for both light and dark interiors. The UV-hardened wax oil surface is durable and easy to maintain. Arctic is one of the first Timberwise treatment tones and still one of the most popular.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatments: Wax oiled and Matte lacquered







Oak Select-brushed, wax oiled

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



Oak Classic - brushed, wax oiled



Pine Natural - brushed, wax oiled

# SNÖHETTA

SNÖHETTA has a very natural light tone, like a freshly planed oak plank. It is well suited for all kinds of interior decoration styles and easy to combine with various colours. Snöhetta is a long-term investment, that stands the test of time and goes with a variety of style trends. That's why it's also one of our most popular tones.

Wood species: Oak, Pine  
Grades: Select, Classic/Natural, Vintage  
Treatments: Brushed, Sanded  
Surface treatments: Wax oiled, Matte lacquered (oak)



Oak Classic



Pine Natural





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# SKY WHITE

SKY WHITE has a light and transparent tone. It resembles planed oak with a touch of white. The general appearance of Sky White is unembellished and Scandinavian, and it's particularly well suited for streamlined Nordic interior decoration styles.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Sanded, Brushed  
Surface treatment: Wax oiled , Matte Lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Douglas fir NORDIC – brushed, wax oiled



Oak NORDIC – brushed, wax oiled

# NORDIC

NORDIC has the same light and harmonic tone as a freshly planed oak plank. It goes together well with all kinds of interior decoration styles and it's easy to combine with various colours. Nordic is a long-term investment that stands the test of time very well and goes with a variety of interior styles.

Wood species: Oak, Douglas fir  
Grades: Select, Classic/Natural, Vintage  
Treatments: Sanded (Oak), Brushed  
Surface treatments: Wax oiled, Matte lacquered (Oak)



Oak Classic



Douglas fir Natural





Larch – brushed, wax oiled

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Oak Classic – brushed, wax oiled



Ash Select – sanded, wax oiled

## UNCOLORED

A clear oil wax or matte lacquer beautifully highlights the wood's natural character and tone. It is an excellent choice for those who appreciate a long-lasting, classic floor and are not swayed by passing trends. UV-cured oil wax is durable and easy to maintain. Matte lacquer provides a long-lasting, beautifully low-sheen surface. It is also possible to order the floor completely unfinished, allowing you to apply any surface treatment you prefer.

Wood Species: Oak, Ash  
Grades: Select, Classic, Vintage/Olive  
Treatments: Sanded, Brushed  
Surface treatment: Wax oiled, matte lacquered



Oak Classic



Ash Classic





Birch Natural -sanded, matte lacquered

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



Pine Natural - brushed, wax oiled

## UNCOLORED

A clear oil wax or matte lacquer beautifully highlights the wood's natural character and tone. It is an excellent choice for those who appreciate a long-lasting, classic floor and are not swayed by passing trends. UV-cured oil wax is durable and easy to maintain. Matte lacquer provides a long-lasting, beautifully low-sheen surface. It is also possible to order the floor completely unfinished, allowing you to apply any surface treatment you prefer.

Wood Species: Birch, Pine


Grades: Natural

Treatments: Sanded (birch), brushed (pine)

Surface treatment: Wax oiled (pine), matte lacquered (birch)



Pine Natural



Birch Natural






Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



## RUKA

RUKA is a brown tone that is slightly lighter than the natural tone of oak. Due to its natural look, it is suited for a variety of interiors and styles.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Sanded, Brushed  
Surface treatments: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

# TURKU

A warm brown shade, slightly deeper than oak's natural tone, Turku has gained great popularity in the Asian market and is now also available in our standard collection. Discover and fall in love with this new product.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Wax oiled







Oak Vintage SUOMU - sanded, wax oiled

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# SUOMU

SUOMU has an oaken brown tone. The added white colour accentuates the wood's grain pattern and gives the floor a fresher general appearance. It suits both traditional and modern interior decoration styles perfectly. Suomu is only available as sanded.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatments: Sanded, Brushed  
Surface treatments: Wax oiled, Matte lacquered







Oak Select GREY – brushed, wax oiled

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



Oak Classic GREY – brushed, matte lacquered

# GREY

GREY is a greyish transparent tone that doesn't hide the oak's natural tone, but allows some of it show through. Grey can be used with almost any colour scheme and decor, and it's a long-term investment that pleases the eye for a long time. That's why it is also one of our most popular tones. Available for oak as both wax oiled and matte lacquered.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatments: Wax oiled, Matte lacquered








Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# MOONSTONE

MOONSTONE has a light transparent grey tone that boldly allows the oak's own natural tone to show through. The tone reminds of the colours of lichen-covered fells and Nordic nature, which are particularly accentuated in the distinctive Vintage grade. Available for oak as wax oiled and matte lacquered.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Sanded, Brushed  
Surface treatments: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# LEVI

LEVI has a grey tone. It is suggestive of the northern kelo wood logs and is a beautiful floor choice with plenty of character. Due to the grey transparent wax oil, the flooring looks natural despite the tinting. Levi is suited for both more traditional and modern decors.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Sanded, Brushed  
Surface treatments: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# YLLÄS

YLLÄS is an impressive and beautiful tone. Its dark grey, almost opaque, treatment comprehensively accentuates different colours and interior decoration styles. The subtle blueish and lilac hues are characteristic to Ylläs flooring.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Sanded, Brushed  
Surface treatment: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# BOLE

True to its name, BOLE, which means tree trunk, is strong and durable. This flooring gets its beautiful hues from Finnish nature. The colours of bark, lichen, rock, and frost together create a wonderful harmonic combination of grey, brown and white. The brushing of the surface accentuates the grain pattern and the matte lacquer gives the flooring a fantastic appearance, while making it durable and easy to maintain. This tone is playfully called the most dirt and dust-friendly tone.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Wax Oiled, Matte lacquered







# AMORE BROWN

A beautiful grey-brown shade in which the tone and structure of the oak softly show through.

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Wax Oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



## PALLAS

PALLAS is a greyish brown tone. It creates a balanced and peaceful atmosphere for the interior, while allowing the play of light and shadow on the oak's naturally beautiful surface pattern.

Wood species: Oak  
 Grades: Select, Classic, Vintage  
 Treatment: Sanded, Brushed  
 Surface treatments: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# LUOSTO

LUOSTO is a popular light brown tone that resembles the natural surface of aged oak. The brushing brings out the grain pattern beautifully, without accentuating it too much.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatments: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Oak Vintage Antique, brushed wax oiled



Douglas fir Natural Antique, brushed wax oiled

# ANTIQUE

ANTIQUE is a warm brown flooring that imitates the tone of oak that has aged naturally due to the effect of UV light. The brushing makes the wood's grain pattern stand out as slightly darker than the undertone.

Wood species: Oak, Douglas fir  
Grades: Select, Classic/Natural, Vintage  
Treatment: Brushed  
Surface treatments: Wax oiled (Douglas fir), Matte lacquered



Oak Vintage




Douglas fir Natural





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Douglas fir Natural Cognac - brushed wax oiled



Pine Natural Cognac - brushed wax oiled


## COGNAC

COGNAC is one of the first Timberwise tones, and has remained popular over the years. Surprisingly, many interior decoration colours go with this warm-coloured flooring. Cognac gives any room a cosy and intimate feel.


Wood species: Oak, Douglas fir, Pine  
 Grades: Select, Classic/Natural, Vintage, Natural  
 Treatments: Brushed  
 Surface treatments: Wax oiled, Matte lacquered (Oak)



Douglas fir Natural



Oak Classic



Pine Natural





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# CARAMEL

Caramel is a delicious, warm brown shade that suits many interiors and brings a cosy atmosphere to the space. Available for oak with a wax oil finish.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Wax oiled







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



## BISCUIT GREY

BISCUIT GREY is an earthy and warm flooring. It is a light brown tone with a hint of grey. It is an excellent alternative for those who wish to have a brown floor but are not ready for the dark brown tones.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Wax oiled, Matte lacquered







# SEACLAM

SEACLAM is a nuanced brown flooring with beautiful hues of grey and white. The grain pattern, which has been accentuated by brushing and tinting it white, gives the flooring a fresher general appearance. Seaclam is particularly dirt and dust-friendly.

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatments: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

# HOHDE

Finnish birch parquet is a Scandinavian and fresh flooring choice when you're looking for the natural look of a wooden floor.

The dark shade Hohde gives birch a new character, beautifully highlighting the distinctive flame pattern of Finnish birch.




Wood species: Birch  
Grades: Natural  
Treatment: Sanded  
Surface treatment: Matte lacquered








Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



## MOCCA

A beautiful, rich chocolate-brown shade for oak.  
The surface highlights the wood's structure beautifully.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Wax oiled








Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Oak EBEN - brushed, wax oiled



Oak EBEN - brushed, wax oiled




Douglas fir EBEN - brushed, wax oiled

## EBEN

EBEN is one of the first Timberwise tones and still quite popular. It is a tone that gives any room an impressive and dramatic look. The brushing brings out the beautiful grain pattern as slightly darker than the undertone. Available for oak as wax oiled, matte lacquered, and brushed. Only available for ash and larch as wax oiled and brushed.


Wood species: Oak, Ash, Douglas fir  
 Grades: Select, Classic/Natural, Vintage/Olive  
 Treatment: Brushed  
 Surface treatments: Wax oiled, Matte lacquered (oak)



Oak Classic



Ash Olive



Douglas fir Natural





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# CHOCO

As the name suggests, CHOCO is a dark, rich and chocolaty tone. Due to its dark brown colour, it allows the furniture and decorations to stand out beautifully. Therefore, it's well suited for various interior decoration styles.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatments: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



## WALNUT

WALNUT is a deep, dark and opaque brown, similar to the colour of walnut. The brushed surface of this attractive and timeless floor accentuates the wood grains beautifully.

Wood species: Oak

Grades: Select, Classic, Vintage

Treatment: Brushed

Surface treatment: Wax oiled, Matte lacquered







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# BLUEBERRY

BLUEBERRY, with its deep blue colour, is a beautiful, dark and very fashionable tone that gives your floor a completely new and unique look. Despite the opaque tone, the brushing brings out the wood's natural grain pattern beautifully.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Matte lacquered



# COAL

COAL is one of the darkest Timberwise tone. The opaque coal grey tone is very impressive. Due to the brushing, the wood's natural grain pattern stands out beautifully despite the opaque surface.

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Matte lacquered





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# WENGE

WENGE is Timberwise's darkest shade — an opaque black, striking and dramatic floor whose brushed surface beautifully reveals the wood's grain patterns.

Note! Due to the tinting treatment, the product must always be glued at the joints — this applies also to WiseLoc click-joint products.

Wood species: Oak  
Grades: Select, Classic, Vintage  
Treatment: Brushed  
Surface treatment: Matte lacquered









## CUSTOM MADE

In CUSTOM MADE products, only your imagination is the limit! The tones Eucalyptus and Burgundy designed by interior stylist Susanna Vento, the bright tones Sunshine Yellow and Sky Blue, and the pastels Old Rose and Baby Blue are just a few examples among many. These tones can be tailored completely to match the needs, wishes or brand – for both companies and private individuals. If you cannot find a suitable tone from our wide colour selection, the Custom Made products are for you.







## DESIGN WOODEN FLOORS

Timberwise Design wooden floors bring the traditional Finnish emission-free mosaic wooden floors to your home as larger, more impressive and easy to install. Our design selection can be installed in the traditional herringbone, tile, and basket weave patterns. The products designed by top designer Harri Koskinen and Joanna Laajisto break traditional boundaries and take parquet designs to a whole new level. The sizes of the design parquet boards are mainly multiples of themselves, so they can be installed in many versatile ways. This also enables our single plank wooden floors to be combined with patterned floors.

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Wood species: Oak, Ash  
Grades: Select, Classic, Vintage, Design Grade







Oak Design Wooden Floor Kolmio

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



Oak Design Wooden Floor by Harri Koskinen - Kolmio



Oak Design Wooden Floor by Harri Koskinen - Kolmio

## KOLMIO

Kolmio, designed by top designer Harri Koskinen, breaks traditional boundaries and elevates the design language of parquet to an entirely new level.

The Kolmio pieces allows also various other patterns to be installed, such as Hexagon and Argyle.

Wood species: Oak, Ash  
Grades: Design grade







Oak Design Wooden Floor - Hexagon (from Kolmio pieces)



Oak Design Wooden Floor - Argyle (from Kolmio pieces)



Oak Design Wooden Floor - Argyle (from Kolmio pieces)

Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



Oak Design Wooden Floor by Harri Koskinen - Hexagon

Oak Design Wooden Floor by Harri Koskinen - Kolmio






Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.




## HERRINGBONE

In a herringbone installation, rectangular parquet boards are laid in a striking zigzag pattern. Wider and longer boards give the floor a completely new look compared to traditional herringbone parquet, while smaller boards create a luxurious appearance reminiscent of centuries-old interiors. Herringbone boards are generally dimensionally proportional, which allows them to be installed in highly versatile ways and enables many of our plank floorings to be combined with patterned floors. With Herringbone boards you can also install following patterns - Basket Weave, Tile pattern and Ladder pattern.

Wood species: Oak, Ash  
Grades: Select, Classic, Vintage/Olive







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.

Oak Design Wooden Floor Basket Weave



Oak Design Wooden Floor Double Herringbone





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



Oak Design Wooden Floor Ladder pattern - Nordic



Oak Design Wooden Floor Ladder pattern - Wenge





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# CHEVRON

Chevron flooring, sometimes called French Herringbone is supplied pre-cut at a 45 degree angle for both left and right components, and tongue and grooved on the long side of the boards to create a 'V' shape pattern. Herringbone pieces are cut in rectangles, where as chevron pieces are cut at an angle.

Wood species: Oak, Ash, Larch  
Grades: Select, Classic, Rustic, Vintage, Olive, Natural







Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



## PUNOS

In the Punos design parquet, created by interior architect Joanna Laajisto, functionality, quality and aesthetics come together perfectly. Note: A ready-made patterned tile, not an installation style. Always installed glued down to the subfloor.

Wood species: Oak, Ash  
Grades: Select, Classic, Vintage/Olive





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# RUUTU

Our RUUTU patterned parquet resembles traditional mosaic parquet but is significantly easier and faster to install. With a Ruutu floor, you can achieve a classic and impressive look in virtually any space. Oak brings a sense of old-world charm, while birch or ash create a more modern appearance. Birch Ruutu in the Hohde shade introduces an entirely new visual dimension to the traditional look.

Wood species: Oak, Ash, Birch  
Grades: Select, Classic, Vintage/Olive, Natural





Only a small part of the floor is shown in the pictures. Note that wood is a natural material, due to which the tones and grain patterns always vary naturally. Due to printing technical reasons, the printed image does not fully correspond to the actual colour of the product.



# VIISTO

The Viisto designed by top designer Harri Koskinen is modern and different style of design floor. It can be installed also in other pattern, such as Chevbone.



Wood species: Oak, Ash  
Grades: Select, Classic, Vintage/Olive





# A STABLE STRUCTURE THAT LASTS FROM ONE GENERATION TO THE NEXT

Timberwise's unique birch plywood 3-layer structure makes your floor significantly sturdier, more even – and durable.


## FINNISH BIRCH

The cross-glued 3-layer structure significantly reduces the hygroscopic changes in the wooden floor board. Hence, it's less prone to react to fluctuations in air humidity and temperature, in comparison with solid or 2-layer wooden floors. Possible hygroscopic changes take place inside the structure, so unlike solid floors, the 3-layer wooden floor rarely cracks.

Plywood-structured products are normally considered 2-layer structures, but unlike the Timberwise products, they do not have a counterbalance veneer. A counterbalance veneer adds a third layer to the product, enabling a floating installation that keeps the product stable.

As a pioneer in wood processing, Timberwise uses a 9-millimetre-thick Finnish hardwood birch plywood panel as the middle layer structure, as it is considerably more durable and stable than the generally used softwood plywood.

The hygroscopic changes of the frame are reduced due to the lack of the so-called mirroring effect in the birch plywood cross structure. The surface of the floor remains even and no wave effect occurs, which makes the product suitable for challenging conditions, like in Scandinavia, Southern Europe and the Middle East where temperatures and humidity vary according to the season. The mechanical durability of the floor also improves: the floor is more sturdy and durable.



# TWO FIXING SYSTEMS – EASE AND DURABILITY

Timberwise wooden floors are available in two fixing systems: with WiseLoc locking, and with a traditional tongue and groove structure.

## WISELOC SAVES TIME AND MONEY

The WiseLoc system is easy to install. The end joint is pressed down, and, thanks to a spring, it will be automatically fixed in. There is no need to install the flooring in rows, as it can also be installed one board at a time. This way the flooring can even be installed by one person – which makes the installation quick and brings savings in installation costs. Can also be glued from the joints or to the subfloor.

## TONGUE AND GROOVE – TRADITIONAL AND DURABLE

The traditional tongue and groove is an excellent choice for example for holiday houses, where the indoor temperature and air humidity fluctuate more than in a home. Can be glued to the subfloor.



**WiseLoc**  
EASY FLOORING

Due to the **WiseLoc** system, the Timberwise wooden floor is one of the easiest to install on the market.



The detailed parquet installation instructions are available on our website!

[www.timberwise.fi/en](http://www.timberwise.fi/en)



# EASY AND CAREFREE MAINTENANCE

The UV-hardened Timberwise wooden floors are the easiest to maintain on the market.

## DURABILITY AND EASE OF MAINTENANCE YEAR AFTER YEAR

Maintaining Timberwise wooden floors is easy. The lacquers and wax oils we use are hardened with UV light during the production process, which makes the wood significantly more durable and easier to maintain than traditional oiled floors.



# HOW TO MAINTAIN YOUR TIMBERWISE FLOOR

- Maintain an appropriate indoor humidity level (RH 30–65%) and the recommended temperature (+18–24°C) during all seasons. In humid seasons (summer), adequate ventilation is required, and in dry seasons (winter), adequate air humidity must be ensured by using a humidifier.
- Prevent dust, sand and gravel from being carried along onto the parquet by placing doormats on both sides of the front door.
- Place a plastic mat under the shoes in the hallway to protect the parquet from water damage.
- Vacuum-clean and mop the floor regularly to prevent dirt from sticking to the floor surface.
- Use only a small amount of water when cleaning – the floor surface must be dry within a minute of mopping.
- Avoid using strong detergents, since they can dissolve the protective wax oil or lacquer layer on the floor.
- Avoid using excess amounts of detergent in order to prevent a dirt-collecting detergent layer from accumulating on the surface of the floor.
- Remove stains immediately.
- To prevent scratch marks on the floor, attach felt pads to the ends of furniture legs, and, in the case of an office chair with wheels, cover the floor underneath it.

**MORE DETAILED MAINTENANCE INSTRUCTIONS CAN BE READ AT:**  
[www.timberwise.fi/en](http://www.timberwise.fi/en)




# ACCESSORIES

The T-mouldings, stair nosings, and skirting boards toned to match your floor give your Timberwise parquet a stylish and elegant finish. Our installation and maintenance accessories guarantee a beautiful and durable flooring that lasts from one generation to the next.

## SKIRTING BOARDS

Solid oak skirting boards are available in two different profiles, and they can be toned to match all Timberwise wooden floors. Our

in-stock skirting boards have been treated to a genuine oak surface. Timberwise also keeps a stock of two different profiles and seven different colours.



## T-MOULDINGS & TRANSITION REDUCER

With the aid of T-mouldings and Transition reducers, you can make the joints between different rooms unnoticeable, since they are the same colour as the floor itself. T-mouldings and Transition reducers can also be used when the flooring material changes from parquet to another material. Just as our flooring material, These both can also be toned to match your Timberwise wooden floor.

## STAIR NOSINGS

Stair nosings are available in three different profiles, and you can order any profile toned to match your Timberwise wooden floor. Stair nosings can be ordered with both a WiseLoc locking and traditional glued tongue and groove.





## UNDERLAY MATERIAL

The underlay material of a floating parquet flooring should not be too thick or made of flexible material: the maximum compaction of the underlay material must not exceed 25% of the material thickness (2.4 tn/m<sup>2</sup>). By ordering the Timberwise underlay material, you ensure that your parquet is installed on proper underlay material. Our underlay material acts as both a moisture barrier and sound insulation material.

- Material: polyethylene foam with a 100-micron moisture barrier
- Thickness: 2 mm
- Width: 1,000 mm, overlapping 200 mm
- Roll size: 15 m<sup>2</sup>



## MAINTENANCE SET

A separate maintenance set can be ordered for wax oiled floors. It includes a repair wax oil, clear surface wax oil, Wisch Fix detergent, and a maintenance and cleaning wax oil in a handy spray bottle. All maintenance products for lacquered floors can be suitable for Timberwise lacquered wooden floors.

Maintenance and repair instructions can be found on our website: [www.timberwise.fi/en](http://www.timberwise.fi/en).




Retailers of accessories and flooring materials are listed on our website at <https://timberwise.fi/en/re-tailers/> and the information can also be obtained by contacting us at: [info@timberwise.fi](mailto:info@timberwise.fi).





# QUALITY IS IN THE DETAILS

Timberwise



## THREE DIFFERENT INSTALLATION METHODS

Timberwise floors can be installed in three different ways: **as a floating installation, as a floating installation with glued joints, or fully glued down to the subfloor**. Both WiseLoc click-lock products and traditional tongue-and-groove products can be installed either floating with glued joints or glued down. The installation method affects, among other things, the room's acoustics and helps prevent potential creaking during humidity fluctuations. In apartment buildings, for example, gluing the floor to the subfloor is often a better acoustic option than a floating installation, as it reduces noise transmitted to the apartment below.

AVAILABLE IN FIRE RATING C(FL) S<sub>1</sub>-

## EN ISO 9239-1:2010 standard

On special order, a fire rating treatment, which provides the higher fire rating C(fl) often required in public premises, is available for the standard 14,5 mm Timberwise products with a birch plywood structure. The product is ready for use right after installation without separate treatments, which saves time and costs on site. Additional information on fire rating treatment is provided at [www.timberwiseparquet.com](http://www.timberwiseparquet.com).



# DIMENSIONS OF THE TIMBERWISE WOODEN FLOORS

## Board widths:

- Products 150 mm, 185 mm, 230 mm and 270 mm.
- 230 mm wide WiseLoc boards recommended to be glued from the end tongue
- 270 mm products only available with a traditional tongue and groove

## Board thickness:

- Thickness 14 mm
- Surface layer thickness 3 mm
- Available special thickness 6.0 mm (oak)

## Board lengths:

- 2,180 mm oak, ash, birch, pine and douglas
- 2,470 mm douglas
- Allowed lengths are 2,180, 2,080, 2,000, and 1,818 mm
- One package always contains boards of identical lengths – no mixed lengths

## Board bevels:

- 0.7 mm micro bevels on the long side
- 0.5 mm at the ends
- The micro bevels highlight the board’s single plank look – they do not collect dirt and are easy to maintain!


# TIMBERWISE DESIGN FLOOR MEASURES:

Timberwise design floors are available in several different sizes depending on the pattern. Explore the various size options for our design floors on our website at [www.timberwise.fi/en/products](http://www.timberwise.fi/en/products)

# FOUR DIFFERENT WIDTH OPTIONS

You can choose your favourite board width from four different options. The board widths of the Timberwise wooden floors are 150 mm, 185 mm, 230 mm and 270 mm. These standard-size

boards are available with both a WiseLoc system and traditional tongue and groove, except for 270 mm boards, which come with tongue and groove.





# THE NEW FORMS OF WOOD

Timberwise TWISE is a tribute to Finnish design and wood processing. Its wooden floors, wall elements and utility items take a bold break from the traditions of wooden floor design and use. The project's first product are the design floors Kolmio, Hexagon, Viisto, TXT-wall and TWISE furniture. Finnish wooden floor manufacturer Timberwise is joined by top designers Harri Koskinen, Ville Kokkonen and Tapio Anttila to design and produce this ground-breaking product range. Web page in Finnish.

[www.twise.fi](http://www.twise.fi)

# Timberwise

FLOOR FOR LIFE

Juvantie 222, PO Box. 99, 32201 LOIMAA,  
FINLAND

Puh: +358 2 763 6420

[info@timberwise.fi](mailto:info@timberwise.fi)

[www.timberwise.fi](http://www.timberwise.fi)